



What's New

12.01.2017

Display of draft version of Proposed Price calculation under different options for proposed notified ceiling price / retail price of Coronary Stents on NFPA's website.

NPPA has issued O.M. No. 19(837)/2016/DP/NPPA/Div.II dated 12.01.2017 referring Department OM No. 31015/44/2016 -PI.I dated 11.7.2016 regarding display of draft price calculation sheets for the proposed price notifications on the website of NPPA.

In this regard, draft calculation sheet of all the options of Proposed Ceiling Prices / Retail Prices based on available data with NPPA is uploaded on the website.

2. All the stakeholders may make representation, suggestions, if any, on the proposed options of ceiling price / retail price by submitting additional documents / information of Price to Retailer (PTR) / Price to Stockiest (PTS) / Price to Distributor (PTD) / Price to Hospital (PTH), Moving Annual Turnover (MAT) and MRP data or any other relevant supporting documents, duly attested, within 10 working days to NPPA in order to take necessary action in this regard.

DRAFT PROPOSED/COMPUTED PRICE OF CORONARY STENTS			
(based on available data subject to verification)			
Particulars		Bare Metal stents (BMS)	Drug Eluting Stents (DES) which include metallic DES and Bioresorbable Vascular Scaffold (BVS)/biodegradable stents
		(Rs.)	(Rs.)
1a. CGHS PRICE			
Cobalt Stent (Rs.12000, Less 5% VAT/Local Taxes)	Cobalt Stent	11,429	
Stainless Steel (Rs.10000,Less 5% VAT/Local Taxes)	Stainless Steel	9,524	
DES (Rs.23625,Less 5%VAT/Local Taxes)	DES		22,500
1b.CGHS PRICE (with Annual Price Increase)			
Cobalt Stent (Rs.12000 plus 10%+10%+10%, Less 5%VAT/Local Taxes)	Cobalt Stent	15,211	
Stainless Steel (Rs.10000 plus 10%+10%+10%, Less 5%VAT/Local	Stainless Steel	12,676	

Taxes)			
DES (Rs. 23625 plus 10%+10%,Less 5%VAT/Local Taxes)	DES		27,225
2. Average Price to Distributor (PTD) based Pricing (PTD+16%)		8,422	39,978
3. Average Price to Hospital (PTH) based Pricing (PTH+16%) (Note1)		11,697	67,272
4. Landed Cost based pricing (Landed Cost + 35%)		10,037	21,881
5. Average of [CGHS and (PTD + 16%)]		11,183	33,602
Notes:-			
1.Regarding Price to Hospital (PTH), the explanations/reservations as submitted by the companies are as under:			
a. "PTH is indicative as company does not directly sell to Hospitals".			
b. "The price to Hospital (PTH) are Net maximum price across the limited number of hospitals which have entered into rate contracts with the company and the company does not have any visibility beyond these".			
c." This is the representative data that we could collect in the short time and PTR =PTH".			
d. "The manufacturer and marketer company generally sale product to wholesaler hence price to retailer is not applicable".			
e. "Regarding PTH, We are in the midst of price negotiations with several hospitals and prices are likely to change continuously".			
2. The above options are being proposed by this office for discussions in the Authority which will decide the final prices.			

["Display of draft version of Proposed Price calculation under different options for proposed notified ceiling price/retail price of Coronary Stents on NPPA's website."](#)